



### Figure 1




Figure 2A

Exception-Based System Management System Component Object Model




Figure 2B

Exception-Based System Management Component Object Model (2)






Figure 4A






Figure 4B




Figure 4C





SCMTTS
Administration

Home
Alertable Filtering
Device Filtering

Message Filtering
Node Filtering
Registration
Runtime Control
Documentation

**Active Filter Set Name**

- ☒ Filter Set 1 (CAT)
- ☒ Filter Set 2 (CAT)
- ☒ Server Filter Set 1 (Server)

Event Code:
CAT
Server

**Filtered Event Code**

- 1012 HST- Controller conn. to INC
- 1040 CDM- Cash dispenser down
- 1045 SAF- Safe device error
- 1046 SW- Switch device error
- 1050 DEP- Depositor down
- 1053 PD- Proximity detector down

↑

↓

**Unfiltered Event Code**

- 1011 HST- Other Controller disc. from other
- 1054 SP- CPE speech device down
- 1055 PTR- Printer down
- 1056 FLS- FLS device down
- 1057 SCM- SCM device down
- 1058 CS- CitiShield device down
- 1060 TRM- Terminal disc. from SFS
- 1061 PIN- Pin Pad device down

**Filter Set Name**  
Server Set 2

☒ Filter Set Active

**Start Time**

08:00

**End Time**

12:00

☒ Sunday

☒ Monday

☐ Tuesday

☐ Wednesday

☐ Thursday

☐ Friday

☐ Saturday

☒ Holiday

Apply

Cancel

Figure 4E




Figure 4F






Figure 4G








Figure 5




Figure 6



### Figure 7

### Figure 8



**Figure 9A**

**Figure 9B**




Figure 10